

Project: Awnless Barnyard Grass Residual Herbicides
Trial: RH1224
District: North Star
Soil Type: Grey vertosol
Application Timing: Pre-emergence
Application Date: 7/11/2012
Equipment: 4m Quad-bike mounted boom
Nozzles: AIXR110015
Nozzle Pressure (kPa): 300
Speed (km/hr): 10.3
Volume (L/ha): 70
Target: Awnless Barnyard Grass (*Echinochloa colona*)

Disclaimer:

This document is based on the results from an individual trial and may contain experimental use patterns that are currently off-label. **This document does not provide any interpretation and should not be taken as an endorsement of any unregistered use pattern.**

Professional advice should be sought for specific recommendations to ensure access to the most up to date information and knowledge.

Any product referred to in this document must be used strictly as directed, and in accordance with all label or permit instructions. Always consult the label prior to use.

Trt No.	Treatment	Rate ml or g/ha	Awnless Barnyard Grass (<i>Echinochloa colona</i>)
			14/02/2013 100 DAA Weeds/m ²
1	Untreated	-	351 a
2	Flame	150	65 ef
3	Flame	200	52 ef
4	Flame + Gp C D	150 + 1000	24 f
5	Flame + Balance	150 + 100	96 def
6	Flame + Terbyne	150 + 1000	151 cde
7	Flame + Nutrazine	150 + 1000	40 f
8	Stomp Xtra	4500	47 f
9	Gp K S	118	293 ab
10	Glean + Balance	20 + 100	196 bcd
11	Primextra Gold	3200	97 def
12	Gp J + Gp K BG	2500	121 def
13	Dual Gold	2000	80 ef
14	Balance	100	254 abc
15	Terbyne	1000	116 def
16	Glean	20	252 abc
P =			<0.01
LSD =			103

Treatment means followed by the same letter are not significantly different at P = 0.05

DAA= Days after Application